

CNC - machining centres



SCM GROUP SPA via Casale 450 - 47826 Villa Verucchio, Rimini - Italy tel. +39 0541 674111 - fax +39 0541 674274 morbidelli@scmgroup.com www.scmwood.com



morbidelli n100 CNC nesting machining centres for drilling and routing



CNC nesting machining centres for drilling and routing


FOR COMPANIES DEMANDING FLEXIBILITY AND HIGH PERFORMANCE

Machining centre designed and engineered for machining wood, plastics and non-ferrous metals. Due to the unique design and PRO-SPACE safety systems, it requires less floor space and can be operated from all sides for material handling of smaller components.





exclusive features



MINIMUM OVERALL DIMENSIONS AND MAXIMUM FLEXIBILITY: "PRO-SPACE" PROTECTIONS

Loading zone completely free to reduce the space occupied to the minimum. The absence of perimeter protections facilitates the work table access on all the sides of the machine.

TOTAL LACK OF VIBRATIONS: MOBILE GANTRY STRUCTURE

Performance without comparison with the mobile gantry structure that allows for high machining speeds whilst guaranteeing the best end products quality.



Maestro CNC Expand your creativity



THE PERFECT DRILLING: RO.AX SPINDLE

Zero play during machining with the new RO.AX technology (Rotoaxial spindle technology), the most efficient spindle on the market with rotation speeds up to 8000 rpm. The sturdiness of drilling heads is proven by the reduced maintenance costs: five times less than that imposed by the majority of other machine manufacturers.

UNIQUE CREATIVITY: MAESTRO CNC

CAD/CAM programming software to design all the production processes.

Developed in Windows® environment it ensures easy programming with an advanced, simple and intuitive sketching environment that features all the tools necessary to design the parts, their layout on the work table, tools management and the relative machining operations. All the procedures are contained in a perfectly integrated and high performance software.



machining unit

Optimal precision and flexibility in all conditions of use with the 3 or 4-axis routing unit up to 15 kW power. The electrospindle can be equipped with a liquid cooling group that allows to maintain constant the operating temperature.



NO LIMITS TO MACHINING: INTERPOLATING VECTOR AXIS

360° rotation and automatic positioning on X-Y axes of all angular heads with the interpolating Vector axis digitally managed by the NC.





Efficiency and rigidity during the machining thanks to the drilling heads with up to 18

the drilling heads with up to 18 independent spindles. Easy grooves machining on the sides of the furniture thanks to the integrated blade unit.



THE PERFECT DRILLING: RO.AX SPINDLE

Zero play during machining with the new RO.AX technology (Rotoaxial spindle technology), the most efficient spindle on the market with rotation speeds up to 8000 rpm.





tool changers and machine management

morbidelli n100

work table




Maximum versatility thanks to the **TR** side tool changer that greatly reduces the tool changing times.



One position "Pick-up" tool changer with pneumatic positioning fitted on the mobile cross beam. Ideal set-up for large sized angular heads.

Consolle with integrated PC "eye-M" Industrial PC with multi-touch colour display, 21,5" screen size, Full HD, positioned on a support base with displacement wheels, for an easy handling of the mobile console along the machine perimeter.





DESIGNED FOR EFFICIENCY AND SAVING: "H.E." (High Efficiency) WORK TABLE Sturdy and practical work table, resistant over time thanks to its laminate aluminum structure. Easy and quick setting with the magnetic locking system of the vacuum: in a few seconds the vacuum is activated only in the positioning area of the piece to be machined.



Wide choice of MPS vacuum pods and MODULSET to lock the pieces on the work table depending on the machining operations to be carried out.

MAXIMUM EFFICIENCY IN ALL MACHINING SITUATIONS: PRESSURE ROLLERS

Perfect holding down of small components or in conditions of reduced vacuum holding, thanks to the pressure rollers. By pressing close to the working area, the rollers are also ideal for the machining of overlapped panels. In case of machining where their use is not


foreseen, the rollers are excluded maintaining unchanged the machine performance.









loading/unloading automation




The modular project of the whole system allows to install the whole cell both with the working flow towards the right side and the left side.





Partial compositions It is possible to configure the cell with loading only, or with unloading system, with or without belt.







devices for other materials



A range of dedicated heads for the machining of non-wood and advanced materials, such as plexiglas, plastics, alucobond, aluminum, polyurethane foams and honeycomb cardboard.

DEVICES FOR PARTICULAR APPLICATIONS



Air blower on electrospindle For generic applications.




Ionized air blower on electrospindle It is suitable to eliminate the electrostatic charges due to the cut material, making easier the shavings suction (advisable for plastic materials machining).



Air blower with microlubrication Air blower with very little oil quantity for the tool lubrication and cooling when used on coated panels.



Guides protections, X-Y axes By means of dedicated cleaning and protection system, it allows the machining also on abrasive materials (this device is compulsory for machining on plasterboard material).







other devices

"ALL" AT YOUR FINGERTIPS: TECPAD CONTROL Management of machine controls with the 7" colour remote control with

facilitates and speed up the setting operations.

(Ascm touch-screen function that



Quick and simple scanning of the label associated to the panel by means the barcode reader.





Tool length detection device Positioned on the machine base side, it allows to automatically detect the length of the tool.






Possibility of extensive customisation With angular heads having 1, 2 and 4 outlets with HSK taper couplings for angled routing, drilling and blade grooving, with plays elimination system or fixed mechanical couplings.

	OVERALL DI	MENSIONS AND L	AYOUT
	А	В	С
mm	2190	2552 (3552*)	4565 (5570*)
mm	2190	2852 (3852*)	5765 (6770*)
mm	2190	3152 (4152*)	5765 (6770*)
mm	2190	3472 (4472*)	5215 (6215*)
mm	2190	3472 (4472*)	6402 (7400*)
	mm mm	A mm 2190 mm 2190 mm 2190 mm 2190 mm 2190 mm 2190	mm 2190 2552 (3552*) mm 2190 2852 (3852*) mm 2190 3152 (4152*) mm 2190 3472 (4472*)


* It includes the operating area



OVERALL DIMENSIONS AND LAYOUT

		А	В	С
morbidelli n100 12	mm	2385	2552 (3552*)	9760 (10260*)
morbidelli n100 15	mm	2385	2852 (3852*)	13375 (13875*)
morbidelli n100 18	mm	2385	3152 (4152*)	13375 (13875*)
morbidelli n100 22-31	mm	2385	3472 (4472*)	11610 (12110*)
morbidelli n100 22-43	mm	2385	3472 (4472*)	15215 (15715*)


* It includes the operating area



LOADING AUTOMATION
morbidelli n100 12
morbidelli n100 15
morbidelli n100 18

* It includes the operating area


morbidelli n100 22-31 morbidelli n100 22-43



UNLOADING AUTOMATION

		А	В	С
morbidelli n100 12	mm	2385	2552 (3552*)	7250 (7750*)
morbidelli n100 15	mm	2385	2852 (3852*)	9650 (10150*)
morbidelli n100 18	mm	2385	3152 (4152*)	9650 (10150*)
morbidelli n100 22-31	mm	2385	3472 (4472*)	8500 (9000*)
morbidelli n100 22-43	mm	2385	3472 (4472*)	10875 (11375*)

* It includes the operating area



OVERALL DIMENSIONS AND LAYOUT

	А	В	С
mm	2190	2552 (3552*)	7096 (8096*)
mm	2190	2852 (3852*)	9495 (10495*)
mm	2190	3152 (4152*)	9495 (10495*)
mm	2190	3472 (4472*)	8340 (9340*)
mm	2190	3472 (4472*)	10725 (11725*)

OVERALL DIMENSIONS AND LAYOUT

Maestro Digital Systems

SMART SOFTWARE AND DIGITAL SERVICES TO ENHANCE PRODUCTIVITY OF WOODWORKING AND FURNITURE INDUSTRIES.

SCM accompanies woodworking companies throughout their whole process combining machines with matching software solutions and digital services, with a constant strive to enhance company productivity.

The software solutions powered by SCM are developed to optimize machine usage as well as the entire process, providing integration with the different software existing in the company.



Maestro cnc

In the office, before the production, the design and programming system Maestro cnc ensures that routing, drilling or sawing can guickly and easily be programmed thanks to 3D graphics of work pieces and machining and clamping aids as well as a smart App and macros library to program any machine operation with a mouse click. Another click away and CNC programs are automatically generated.

SOFTWARE



Office

Maestro cnc

THE SOFTWARE THAT SIMPLIFIES THE WORK

CAD/CAM programming software to design all the production processes. Developed in Windows® environment it ensures easy programming with an advanced, simple and intuitive sketching environment that features all the tools necessary to design the parts, their layout on the work table, tools management and the relative machining operations. All the procedures are contained in a perfectly integrated and high performance software.

ADDITIONAL FUNCTIONS

Maestro 3d - Unique in the creation of 3D objects The module integrated in the Maestro suite is designed to program three dimensional objects on 5-axis machining centres.

Maestro apps - Unique know-how

Maestro apps is a library of programming functions that are always available and easy to use, developed by SCM for the production of parts for doors, windows, stairs, furniture and furnishings.

Co

►<u></u>C

Maestro msl connector - Total integration

Connector for third-parties with design software.

SPECIALISED MACHINING

Maestro cabinet - Unique in the creation of furniture C

This application is designed for the home and office furniture sector to design furniture and program cabinet production step by step.

Maestro nest - Unique nesting process

The module integrated in the Maestro suite provides all the functions necessary to manage the "nesting" process: from a simple "rectangular" piece to the most varied and complex "free form" geometrical shapes.

Maestro label - Unique labeling process

Integrated module to manage label's models, which develops labels by inserting texts, images, parameters and the main barcode formats.



SOFTWARE

Maestro active cnc

A REVOLUTIONARY APPROACH TO INTERACT WITH YOUR SCM MACHINE

events or notifications

occurred in each shift.

TOOLS? NO PROBLEM!

to be executed.

Factory

FULL CONTROL OF PRODUCTION PERFORMANCES

The creation of customizable reports by operator, shift, program, forecast period (and much more) allows to monitor, optimize and improve the production performance.

FULL MACHINE AWARENESS AND KNOWLEDGE MANAGEMENT SYSTEM

Maestro active allows to record the times related to setup, maintenance, training and other events, tracing all the activities in a database. The operator's know-how is also stored and made available to other people inside the organization thanks to the possibility to comment and document all production

ORGANIZE YOUR PRODUCTION

Maestro active allows to create different users with different roles and authorizations (e.g.: operator, maintainer, administrator, ...). Any user can only execute the functions whose permissions have been assigned to him. It is also possible to define the work shifts on the machine and then detect activities, productivity and events that

TOTAL QUALITY OF THE FINISHED PRODUCT

With Maestro active the quality of the finished piece is no longer put at risk by worn tools. The new Maestro Active Tool Life Determination system sends notification messages as the tool reaches its end of life and recommends its replacement at the most appropriate time.

Maestro active guides the operator during the magazine tooling phase, taking into account the programs

A WORLD OF SERVICES FOR GREATER

Maestro connect

CONNECT YOUR MACHINE AND GAIN ACCESS TO A WORLD OF SERVICES

Connecting your machine through Maestro connect will let you subscribe a program of fastevolving services. You will access a wide range of benefits that even go beyond the machine experience and will support and assist you through the whole life-cycle of your machine.

FASTER SERVICE INTERVENTION AND PROBLEM RESOLUTION

Maestro connect provides real time data and Health Records of the Machine also to SCM Service drastically reducing its troubleshooting time.

WORKING ALWAYS IN PERFECT CONDITIONS

Maestro Connect can provide a full kit of sophisticated sensor devices to detect and warn the operator in case of alarming conditions of the machine.

DIGITAL SERVICES

SMART MAINTENANCE: DOWN TIME REDUCTION

Maestro connect reduces maintenance downtime thanks to:

- Automatic maintenance notifications and scheduling, to prevent failures and work in the best conditions of use
- Direct connection to SCM Service thanks to an automatic ticket opening function

SMART MACHINE: ANYTIME, ANYWHERE AWARENESS

Connecting your SCM machine also means having your machine always at hand. Immediate instant notifications in case of alarms or downtimes allow customers to immediately take an action thus optimizing his productivity.

SMART MANAGEMENT: PRODUCTION PERFORMANCE OPTIMIZATION

Reports and KPIs allow further analysis thus increasing Customer Knowledge about his performance and results.

SMART PARTS: FAST PARTS REPLENISHMENT

Repairs are scheduled proactively since the system provides Spare Parts suggestions and a direct Integration with Smart Parts e-shop.

SMART LEARNING: EXECUTE WORK AND RECEIVE PROBLEM SOLVING SUPPORT

Maestro connect provides an intuitive Problem Solving Management System to help the operator to self solve any issue...

SMARTECH: FASTER AUGMENTED SUPPORT

Maestro connect allows augmented reality support by means of Smartech: the head-wearable computers with wireless connectivity that will bring the interaction between customer and SCM service to a higher level.

SMART WARRANTY: YOUR MACHINE ALWAYS IN PERFECT CONDITIONS

Together with scheduled maintenance contracts, you can take care of your asset by doubling the warranty from 1 year to 2 years* for complete peace of mind! * please read the complete contract to understand terms and conditions.

morbidelli n100

MORBIDELLI NIOO

MORBIDELLI NI00		12	15	18	22-31	22-43
AXES					2	
Vectorial speed X-Y axes	m/min	35	35	35	35	35
Z axis stroke	mm	250	250	250	250	250
Z axis panel passage	mm	150	150	150	150	150
ROUTING UNIT						
Motor power (max.)	kW (hp)	15 (21)	15 (21)	15 (21)	15 (21)	15 (21)
Rotation speed (max.)	rpm	24000	24000	24000	24000	24000
Available tools on tool changer (max.)	places	12	15	17	20	20
DRILLING UNIT						
Independent vertical spindles (max.)	n.	12	12	12	12	12
Independent horizontal spindles (max.)	n.	6	6	6	6	6
Rotation speed (max.)	rpm	8000	8000	8000	8000	8000
Integrated blade in X, diameter	mm	125	125	125	125	125
Integrated blade rotation speed (max.)	rpm	10000	10000	10000	10000	10000
INSTALLATION						
Exhaust air consumption *	m³/h	3400/5300	3400/5300	3400/5300	3400/5300	3400/5300
Exhaust air speed	m/sec	30	30	30	30	30
Exhaust outlet diameter	mm	200/250	200/250	200/250	200/250	200/250
Vacuum management 50 Hz	no. pumps (up to)	4	4	4	4	4
Vacuum management	m³/h	250	250	250	250	250

* stand alone/with pusher



THE USE OF POWER ONLY WHEN IT IS REQUIRED

Sav€nergy allows making things operate only when they are really necessary. It means the machine automatically enters "stand-by" mode when there are no panels to be machined.

Maximum noise levels measured according to the operating conditions established by EN 848-3:2012 Acoustic pressure in process (routing) 83 dbA (measured according to EN ISO 11202:2010, uncertainty K = 4 dB) Acoustic power in process (routing) 102 dbA measured according to EN ISO 3746:2010, uncertainty K = 4 dB)

Even if there is a correlation between above mentioned "conventional" noise emission values and average levels of personal exposure over eight hours of operators, these last also depend on the real operating conditions, duration of exposure, acoustic conditions of the working environment and presence of further noise sources, this means the number of machines and other adjacent processes.

COMPANY WITH QUALITY SYSTEM **CERTIFIED BY DNV GL** = ISO 9001 =

The technical data can vary according to the requested machine composition. In this catalogue, machines are shown with options. The company reserves the right to modify technical specifications without prior notice; the modifications do not influence the safety foreseen by the CE Norms

TEC	CHN	IICAL	DATA

PROMPT AND EXPERT TECHNICAL SUPPORT THROUGH A NETWORK OF 1000 **TECHNICIANS AND AN INVENTORY** OF 36,000 SPARE PARTS.

HIGHLY SPECIALISED TECHNICIANS, EFFICIENT MANAGEMENT AND 6 SPARE PARTS BRANCHES AROUND THE WORLD GUARANTEE A CLOSE, SAFE AND EFFECTIVE TECHNICAL SUPPORT.

SERVICE

SCM provides a service that goes beyond the purchase, to guarantee the long term performance of your technological production system and peace of mind for your business.

A COMPLETE RANGE OF AFTER-SALES SERVICES

- installation and start-up of machines, cells, lines and systems
- tailored training programs
- telephone support to reduce times and costs when machines are not working
- preventive maintenance programs to guarantee long term performance
- complete renovation of machines and plants to renew the added value of the investments
- custom upgrading to update machines and plants and meet new production requirements

SPARE PARTS

SCM Group can count on 140 spare parts professionals worldwide to meet any request with real time shipments.



Our spare parts inventory, with a value of 12 million euros, covers every single machine SPARE PARTS GUARANTEED



We guarantee also hard to find parts, with 3,5 ion euros invested in "critical" spare parts

he day thanks to the huge inventory available.

IMMEDIATE AVAILABILITY Over 90% of orders received are carried out the



6 BRANCHES AROUND THE WORLD The spare parts service can count on worldwide support (Rimini, Singapore, Shenzhen, Moscow, Atlanta, São Bento do Sul

500 SHIPMENTS A DAY



THE STRONGEST **WOOD TECHNOLOGIES ARE IN OUR DNA**

SCM. A HERITAGE OF SKILLS IN A UNIQUE BRAND

Over 65 years of success gives SCM the centre stage in woodworking technology. This heritage results from bringing together the best know-how in machining and systems for wood-based manufacturing. SCM is present all over the world, brought to you by the widest distribution network in the industry.

65 years history **3** main production sites in Italy **300.000** square metres of production space **20.000** machines manufactured per year 90% export **20** foreign branches 400 agents and dealers 500 support technicians

500 registered patents

In SCM's DNA also strength and solidity of a great Group. The SCM Group is a world leader, manufacturing industrial equipment and components for machining the widest range of materials.

SCM GROUP, A HIGHLY SKILLED TEAM EXPERT IN INDUSTRIAL MACHINES AND COMPONENTS

INDUSTRIAL MACHINERY

Stand-alone machines, integrated systems and services dedicated to processing a wide range of materials.

WOODWORKING TECHNOLOGIES

(Ascm

TECHNOLOGIES FOR PROCESSING COMPOSITE MATERIALS, ALUMINIU PLASTIC, GLASS, STONE, METAL

Cms

INDUSTRIAL COMPONENTS

Technological components for the Group's machines and systems, for those of third-parties and the machinery industry.

HITECO

SPINDLES AND

ECHNOLOGICA COMPONENTS

(Les

FLECTRIC PANELS

Usteelmec

MFTAI WORK

(scmfonderie CAST IRON



